


PENDING CLAIMS
Application No. 09/733,899
Attorney Docket No. 05725.0594-00000
Filed: December 12, 2000

1.-244. (Cancelled)

245. (Previously presented) A cosmetic composition comprising:

at least one liquid fatty phase in said cosmetic composition which comprises:

(i) at least one structuring polymer chosen from polymers of formula (I) below:



in which:

- n is an integer which represents the number of amide units such that the number of ester groups present in said at least one structuring polymer ranges from 10% to 50% of the total number of all said ester groups and all said amide groups comprised in said at least one structuring polymer;

- R¹, which are identical or different, are each chosen from alkyl groups with at least 4 carbon atoms and alkenyl groups with at least 4 carbon atoms;

- R², which are identical or different, are each chosen from C₄ to C₄₂ hydrocarbon-based groups with the proviso that at least 50% of R² are chosen from C₃₀ to C₄₂ hydrocarbon-based groups;

- R³, which are identical or different, are each chosen from C₂ to C₃₆ hydrocarbon-based groups; and

- R⁴, which are identical or different, are each chosen from hydrogen and C₁ to C₁₀ alkyl groups, with the proviso that at least 50% of all R⁴ are chosen from hydrogen; and


(ii) at least one film-forming silicone resin.

246. (Original) The composition according to claim 245, wherein said composition is a solid.

247. (Previously presented) A make-up and/or care and/or treatment composition for keratinous fibers comprising:

at least one liquid fatty phase in said composition which comprises:

(i) at least one structuring polymer chosen from polymers of formula (I) below:



in which:

- n is an integer which represents the number of amide units such that the number of ester groups present in said at least one structuring polymer ranges from 10% to 50% of the total number of all said ester groups and all said amide groups comprised in said at least one structuring polymer;

- R¹, which are identical or different, are each chosen from alkyl groups with at least 4 carbon atoms and alkenyl groups with at least 4 carbon atoms;

- R^2 , which are identical or different, are each chosen from C_4 to C_{42}

hydrocarbon-based groups with the proviso that at least 50% of R^2 are chosen from C_{30} to C_{42} hydrocarbon-based groups;

- R^3 , which are identical or different, are each chosen from C_2 to C_{36}

hydrocarbon-based groups; and

- R^4 , which are identical or different, are each chosen from hydrogen and C_1 to C_{10} alkyl groups, with the proviso that at least 50% of all R^4 are chosen from hydrogen; and


(ii) at least one film-forming silicone resin.

248.-252. (Cancelled)

253. (Previously presented) A method for care, make up, or treatment of a keratin material chosen from lips, skin, and keratinous fibers, comprising the application to said keratin material of a cosmetic composition comprising:

at least one liquid fatty phase which comprises:

(i) at least one structuring polymer chosen from polymers of formula (I) below:



in which:

- n is an integer which represents the number of amide units such that the number of ester groups present in said at least one structuring polymer ranges from

10% to 50% of the total number of all said ester groups and all said amide groups comprised in said at least one structuring polymer;

- R^1 , which are identical or different, are each chosen from alkyl groups with at least 4 carbon atoms and alkenyl groups with at least 4 carbon atoms;

- R^2 , which are identical or different, are each chosen from C_4 to C_{42} hydrocarbon-based groups with the proviso that at least 50% of R^2 are chosen from C_{30} to C_{42} hydrocarbon-based groups;

- R^3 , which are identical or different, are each chosen from C_2 to C_{36} hydrocarbon-based groups; and


- R^4 , which are identical or different, are each chosen from hydrogen and C_1 to C_{10} alkyl groups, with the proviso that at least 50% of all R^4 are chosen from hydrogen; and

(ii) at least one film-forming silicone resin.

254. (Previously presented) A method for making a cosmetic composition in the form of a physiologically acceptable composition comprising including in said composition

at least one liquid fatty phase which comprises:

(i) at least one structuring polymer chosen from polymers of formula (I) below:



in which:

- n is an integer which represents the number of amide units such that the number of ester groups present in said at least one structuring polymer ranges from 10% to 50% of the total number of all said ester groups and all said amide groups comprised in said at least one structuring polymer;

- R¹, which are identical or different, are each chosen from alkyl groups with at least 4 carbon atoms and alkenyl groups with at least 4 carbon atoms;

- R², which are identical or different, are each chosen from C₄ to C₄₂ hydrocarbon-based groups with the proviso that at least 50% of R² are chosen from C₃₀ to C₄₂ hydrocarbon-based groups;

- R³, which are identical or different, are each chosen from C₂ to C₃₆ hydrocarbon-based groups; and

- R⁴, which are identical or different, are each chosen from hydrogen and C₁ to C₁₀ alkyl groups, with the proviso that at least 50% of all R⁴ are chosen from hydrogen; and

(ii) at least one film-forming silicone resin.

255.-267. (Cancelled)

268. (Previously Presented) The cosmetic composition according to claim 245, wherein said at least one liquid fatty phase of the composition comprises at least one oil.

269. (Previously Presented) The cosmetic composition according to claim 268, wherein said at least one oil is chosen from at least one polar oil and at least one apolar oil.

270. (Previously Presented) The cosmetic composition according to claim 269, wherein said at least one polar oil is chosen from:

- hydrocarbon-based plant oils with a high content of triglycerides comprising fatty acid esters of glycerol in which the fatty acids comprise chains having from 4 to 24 carbon atoms, said chains optionally being chosen from linear and branched, and saturated and unsaturated chains;

- synthetic oils or esters of formula R_5COOR_6 in which R_5 is chosen from linear and branched fatty acid residues comprising from 1 to 40 carbon atoms and $R_5 + R_6 \geq 10$;

- synthetic ethers containing from 10 to 40 carbon atoms;

- C_8 to C_{26} fatty alcohols; and

- C_8 to C_{26} fatty acids.

271. (Previously Presented) The cosmetic composition according to claim 269, wherein said at least one apolar oil is chosen from:

- silicone oils chosen from volatile and non-volatile, linear and cyclic polydimethylsiloxanes that are liquid at room temperature;

- polydimethylsiloxanes comprising alkyl or alkoxy groups which are pendant and/or at the end of the silicone chain, the groups each containing from 2 to 24 carbon atoms;

- phenylsilicones; and

- hydrocarbons chosen from linear and branched, volatile and non-volatile hydrocarbons of synthetic and mineral origin.

272. (Previously Presented) The cosmetic composition according to claim 245, wherein said at least one liquid fatty phase comprises at least one non-volatile oil.

273. (Previously Presented) The cosmetic composition according to claim 272, wherein said at least one non-volatile oil is chosen from hydrocarbon-based oils of mineral, plant and synthetic origin, synthetic esters and ethers, and silicone oils.

274. (Previously Presented) The cosmetic composition according to claim 245, wherein said at least one liquid fatty phase comprises at least one volatile solvent chosen from hydrocarbon-based solvents and silicone solvents optionally comprising alkyl or alkoxy groups that are pendant or at the end of a silicone chain.

275. (Previously Presented) The cosmetic composition according to claim 245, wherein said composition further comprises at least one additional fatty material.

276. (Previously Presented) The cosmetic composition according to claim 275, wherein said at least one additional fatty material is chosen from gums, fatty materials pasty at ambient temperature, and resins.

277. (Previously Presented) The cosmetic composition according to claim 245, wherein said at least one film-forming silicone resin is chosen from silsesquioxanes and siloxysilicates.

278. (Previously Presented) The cosmetic composition according to claim 277, wherein said silsesquioxanes comprise repeating units of $(\text{RSiO}_{3/2})_x$ where X is less than 2000.

279. (Previously Presented) The cosmetic composition according to claim 278, wherein x is 500 or less.

280. (Previously Presented) The cosmetic composition according to claim 277, wherein said silsesquioxanes are chosen from polymethylsilsesquioxanes comprising repeating units of formula $(\text{CH}_3\text{SiO}_{3/2})$.

281. (Previously Presented) The cosmetic composition according to claim 277, wherein said siloxysilicates are chosen from trimethylsiloxysilicates.

282. (Previously Presented) The cosmetic composition according to claim 281, wherein said trimethylsiloxysilicates comprise repeating units of $[(\text{CH}_3)_3\text{-Si-O}]_x\text{-(SiO}_{4/2})_y$, where x ranges from 50 to 80 and y ranges from 50 to 80.

283. (Previously Presented) The cosmetic composition according to claim 280, wherein said polymethylsilsesquioxanes comprising repeating units of formula $(\text{CH}_3\text{SiO}_{3/2})$ further comprise up to 1% of polymerized repeating units of formula $(\text{CH}_3)_2\text{SiO}_{2/2}$.

284. (Previously Presented) The cosmetic composition according to claim 245, wherein the at least one film-forming silicone resin comprises at least two units chosen from M, D, T, and Q and said at least two units satisfy the relationship $\text{R}_n\text{SiO}_{(4-n)/2}$ wherein n is a value ranging from 1.0 to 1.50.

285. (Previously Presented) The cosmetic composition according to claim 284, wherein said at least one film-forming silicone resin is a solid at 25°C.

286. (Previously Presented) The cosmetic composition according to claim 284, wherein said at least one film-forming silicone resin has a weight average molecular weight ranging from 1000 to 10000 grams/mole.

287. (Previously Presented) The cosmetic composition according to claim 245, wherein said at least one film-forming silicone resin comprises repeating M units and repeating Q units.

288. (Previously Presented) The cosmetic composition according to claim 287, wherein the ratio of M units to Q units is 0.7:1.

289. (Previously Presented) The cosmetic composition according to claim 245, wherein said composition further comprises at least one additional film-former.

290. (Previously Presented) The cosmetic composition according to claim 245, wherein the composition is in a form chosen from a fluid anhydrous gel, rigid anhydrous gel, fluid simple emulsion, rigid simple emulsion, fluid multiple emulsion, and rigid multiple emulsion.

291. (Previously Presented) The cosmetic composition according to claim 245, wherein the at least one structuring polymer is chosen from ethylenediamine/stearyl dimer dilinoleate copolymer.

292. (Previously Presented) The cosmetic composition according to claim 245, wherein the at least one structuring polymer is chosen from ethylenediamine/stearyl dimer tallate copolymer.

293. (Previously Presented) The make-up and/or care and/or treatment composition according to claim 247, wherein the at least one structuring polymer is chosen from ethylenediamine/stearyl dimer dilinoleate copolymer.

294. (Previously Presented) The make-up and/or care and/or treatment composition according to claim 247, wherein the at least one structuring polymer is chosen from ethylenediamine/stearyl dimer tallate copolymer.

295. (Previously Presented) The method according to claim 253, wherein the at least one structuring polymer is chosen from ethylenediamine/stearyl dimer dilinoleate copolymer.

296. (Previously Presented) The method according to claim 253, wherein the at least one structuring polymer is chosen from ethylenediamine/stearyl dimer tallate copolymer.

297. (Previously Presented) The method according to claim 254, wherein the at least one structuring polymer is chosen from ethylenediamine/stearyl dimer dilinoleate copolymer.

298. (Previously Presented) The method according to claim 254, wherein the at least one structuring polymer is chosen from ethylenediamine/stearyl dimer tallate copolymer.